

BULK CONTAINERS

STRONG, SECURE, BULK SHIPPING MADE EASY



Bulk Containers – Durable, Versatile & Built for Demanding Loads

Our bulk containers are engineered to handle a wide range of industrial applications—from general storage and distribution to heavy-duty material handling. Made from 100% recyclable HDPE, these containers offer long service life, impact resistance, and compatibility with automation systems. With options for reinforced bases, collapsible walls, and extended lengths, there's a model to suit every need.

PRODUCT HIGHLIGHTS:

BG Series – Industry Standard Bulk Containers

- **Capacity:** Rated up to 1,200 lbs.
- **Security:** Locking latches secure panels and doors.
- **Compatibility:** Available with 9 feet or 5 plastic runners.
- **Efficiency:** Has a collapsible return ratio of 3.6:1.

BC Series – Heavy-Duty Bulk Containers

- **Capacity:** Rated up to 1,800 lbs.
- **Compatibility:** Available in 32x30, 48x40, and 48x45 footprints.
- **Strength:** Injection molded, two-piece compression heat-welded base for added durability.
- **Longevity:** Plastic latches and hinges are 100% field repairable.

BN Series – Extra Heavy-Duty Bulk Containers

- **Capacity:** Rated up to 1,800 lbs (32x30) and 2,500 lbs (48x45).
- **Strength:** Superior durability for reliable performance.
- **Compatibility:** Available in 32x30, and 48x45 footprints.
- **Compatibility:** Drop-doors and four-way forklift entry.

BH Series – Heavy-Duty Reinforced Bulk Containers

- **Capacity:** Rated up to 2,500 lbs.
- **Reinforcement:** Includes 3 steel runners for added durability.
- **Strength:** Post-and-pocket side panels interlock securely.
- **Protection:** Steel corner hit plates deflect fork tines.

BS Series – Extended Length Bulk Containers

- **Capacity:** Rated up to 2,000 lbs.
- **Compatibility:** Available with no drop doors, 2 doors, or 4 doors.
- **Access:** Spring latches allow quick assembly and knockdown.
- **Efficiency:** Non-sequential folding prevents wall bowing during collapse.

BF Series – Fixed Wall Bulk Containers

- **Strength:** Solid, one-piece base for maximum durability.
- **Compatibility:** Designed for automation systems.
- **Resistance:** Withstands sunlight, cooling, impact, and moisture.
- **Longevity:** Will not rust, splinter, rot, or absorb odors.





COLLAPSIBLE BULK CONTAINERS

STRONG, SECURE, BULK SHIPPING MADE EASY

Standard Colours

BK



BC32303420



BC48403920



BC48453420




BC48454220

Heavy-Duty Bulk Containers			Outside Dimensions (In.)			Inside Dimensions (In.)			Other Specifications				Fork Tunnel Dimensions (In.)			
Model Number	Colours	Doors	Length	Width	Height	Length	Width	Height	Weight (Lbs.)	Capacity (Lbs.)	Volume (Cu. Ft.)	Return Ratio	Long Side L	Long Side H	Short Side L	Short Side H
BC32302520	Standard	2 Doors on Length	32	30	25	29-1/2	27-1/2	18-1/2	50	1800	8.7	2:1	10-5/8	3-1/2	7-5/8	2
BC32303420	Standard	2 Doors on Length	32	30	34	29-1/2	27-1/2	27-1/2	62	1800	12.9	2.7:1	10-5/8	3-1/2	7-5/8	2
BC48403420	Standard	2 Doors on Length	48	40	34	45	37	27-3/10	106.2	1800	26.3	2:1	12	3-3/4	11-1/2	3-3/4
BC48403920	Standard	2 Doors on Length	48	40	39	45	37	32-3/10	116	1800	31.1	2.5:1	12	3-3/4	11-1/2	3-3/4
BC48452520	Standard	2 Doors on Length	48	44-1/2	25	44-1/2	41-1/2	18-1/5	99	1800	19.5	2:1	11	3-5/16	12-5/16	3-5/16
BC48453420	Standard	2 Doors on Length	48	44-1/2	33-4/5	44-1/2	41-1/2	27	118	1800	28.9	2.7:1	11	3-5/16	12-5/16	3-5/16
BC48454220	Standard	2 Doors on Length	48	44-1/2	41-4/5	44-1/2	41-1/2	35	136.5	1800	37.4	2:1	11	3-5/16	12-5/16	3-5/16
BC48455020	Standard	2 Doors on Length	48	44-1/2	49-4/5	44-1/2	41-1/2	43	155	1800	46.0	1.75:1	11	3-5/16	12-5/16	3-5/16

Other colours, sizes, and customizations available with minimum order.

Capacity is dependent upon application and use environment. It is based on equally distributed loads. Elevated temperatures or concentrated loads may affect capacity.



BN32302520



BN48453420



BN48453420

Extra Heavy-Duty Bulk Containers			Outside Dimensions (In.)			Inside Dimensions (In.)			Other Specifications				Fork Tunnel Dimensions (In.)			
Model Number	Colours	Doors	Length	Width	Height	Length	Width	Height	Weight (Lbs.)	Capacity (Lbs.)	Volume (Cu. Ft.)	Return Ratio	Long Side L	Long Side H	Short Side L	Short Side H
BN32302520	Standard	2 Doors on Length	32	30	25	29-1/2	27-1/2	18-2/5	64	1800	8.6	1.9:1	10-5/8	3-1/2	7-5/8	2
BN32303420	Standard	2 Doors on Length	32	30	34	29-1/2	27-1/2	27-2/5	78	1800	12.9	2.6:1	10-5/8	3-1/2	7-5/8	2
BN48452520	Standard	2 Doors on Length	48	45	25	44-1/2	41-1/2	18-3/10	100	2500	19.1	2.3:1	11	3-5/16	12-5/16	3-5/16
BN48453420	Black, Blue	2 Doors on Length	48	45	34	44-1/2	41-1/2	27	122	2500	28.7	3:1	11	3-5/16	12-5/16	3-5/16
BN48454120	Standard	2 Doors on Length	48	45	41	44-1/2	41-1/2	34	147	2000	36.3	2.1:1	11	3-5/16	12-5/16	3-5/16
BN48454420	Standard	2 Doors on Length	48	45	44	44-1/2	41-1/2	37	154	2000	39.5	2.1:1	11	3-5/16	12-5/16	3-5/16
BN48455120	Standard	2 Doors on Length	48	45	51	44-1/2	41-1/2	44	179	2000	47.0	1.7:1	11	3-5/16	12-5/16	3-5/16


Other colours, sizes, and customizations available with minimum order.

Capacity is dependent upon application and use environment. It is based on equally distributed loads. Elevated temperatures or concentrated loads may affect capacity.

COLLAPSIBLE BULK CONTAINERS

STRONG, SECURE, BULK SHIPPING MADE EASY



Standard Colours

BK

BG48404602

Industry Standard Bulk Containers			Outside Dimensions (In.)			Inside Dimensions (In.)			Other Specifications				Fork Tunnel Dimensions (In.)			
Model Number	Colours	Doors	Length	Width	Height	Length	Width	Height	Weight (Lbs.)	Capacity (Lbs.)	Volume (Cu. Ft.)	Return Ratio	Long Side L	Long Side H	Short Side L	Short Side H
BG48404602	Grey	2 Doors on Width	48	40	46	45	37	40	142	1200	38.5	3.6:1	13	3-1/2	12	3-1/2

Other colours, sizes, and customizations available with minimum order.

Capacity is dependent upon application and use environment. It is based on equally distributed loads. Elevated temperatures or concentrated loads may affect capacity.



BH48402520

BH48452520

Heavy-Duty Reinforced Bulk Containers			Outside Dimensions (In.)			Inside Dimensions (In.)			Other Specifications					Fork Tunnel Dimensions (In.)			
Model Number	Colours	Doors	Length	Width	Height	Length	Width	Height	Weight (Lbs.)	Capacity (Lbs.)	Volume (Cu. Ft.)	Volume (Gal.)	Return Ratio	Long Side L	Long Side H	Short Side L	Short Side H
BH48402520	Standard	2 Doors on Length	47-3/5	39-4/5	25	44	36-3/10	18-3/10	121.30	2500	16.9	126	2.1:1	11-3/4	3-5/32	10-3/8	4-1/8
BH48403420	Standard	2 Doors on Length	47-3/5	39-4/5	33-9/10	44	36-3/10	26-1/2	141.20	2500	24.5	183	3:1	11-3/4	3-5/32	10-3/8	4-1/8
BH48452520	Standard	2 Doors on Length	47-3/5	44-3/5	25-3/5	44-3/10	41-3/10	18-7/10	140	2500	19.7	148	2.1:1	11-7/8	3-1/4	10-1/2	3-11/16
BH48453420	Standard	2 Doors on Length	47-3/5	44-3/5	34	44-3/10	41-3/10	27-1/10	163	2500	28.7	214	3:1	11-7/8	3-1/4	10-1/2	3-11/16

Other colours, sizes, and customizations available with minimum order.

Capacity is dependent upon application and use environment. It is based on equally distributed loads. Elevated temperatures or concentrated loads may affect capacity.


BS57483420

BS64483420

BS70483420

Extended Length Bulk Containers			Outside Dimensions (In.)			Inside Dimensions (In.)			Other Specifications				Fork Tunnel Dimensions (In.)				
Model Number	Colours	Doors	Length	Width	Height	Length	Width	Height	Weight (Lbs.)	Capacity (Lbs.)	Volume (Cu. Ft.)	Volume (Gal.)	Return Ratio	Long Side L	Long Side H	Short Side L	Short Side H
BS57483420	Standard	2 Doors on Length	57-3/10	48	34	53-1/2	44-1/2	26-3/5	171	2000	36.7	274	2.5:1	10-3/16	3-3/16	10-13/16	3-3/16
BS64483420	Standard	2 Doors on Length	64-1/2	48	34	60-4/5	44-1/2	26-3/5	183	2000	41.7	312	2.5:1	10-3/16	3-3/16	10-13/16	3-3/16
BS70483420	Standard	2 Doors on Length	70	48	34	66-3/10	44-1/2	26-3/5	195	2000	45.4	400	2.5:1	10-3/16	3-3/16	10-13/16	3-3/16

Other colours, sizes, and customizations available with minimum order.

Capacity is dependent upon application and use environment. It is based on equally distributed loads. Elevated temperatures or concentrated loads may affect capacity.



CENTERFLOW CONTAINERS

FAST DISPENSING, DURABLE CONSTRUCTION

Standard Colours

BK

CenterFlow Containers – Fast Dispensing with Industrial Grade



Engineered for speed, durability, and precision, CenterFlow Containers are the go-to solution for transporting and dispensing seed, pellets, granular materials, and small components. With smooth flow and ergonomic handling, these versatile containers combine rugged build quality with operational efficiency.

FEATURES:


- 1 **Efficient Flow Design:** Funnel-shaped interior with a 35° angle and generous export port allows complete emptying in as little as 30 seconds.
- 2 **Heavy-Duty Capacity:** Carries loads up to 2,500 lbs. with reinforced crossbars for even weight distribution.
- 3 **Safe Side Access:** Integrated access door enables easy, one-person operation to dispense partial or full contents.
- 4 **Contamination Control:** Tight-fitting lid keeps out dirt and debris for protected, clean storage.
- 5 **Durable:** Molded from structural foam HDPE for resistance to impact, moisture, and chemicals. Solid oak base rails provide better grip for forklift handling.
- 6 **Smooth Handling:** Compatible with forklifts and pallet jacks; recessed latches secure ring to base for safe transport.

PRODUCT HIGHLIGHTS:

- **Stackable and Nestable:** Saves storage space with a 1.6:1 return ratio.
- **Ergonomic:** Molded for easy handling and efficient flow control.
- **Weather-Ready:** Performs in harsh conditions from -20° to 120°F.
- **Customizable:** Options for labeling and identification available.
- **Sustainable:** 100% recyclable.



CF574500



CF574500



CF574500



CF574500

Centerflow Containers		Outside Dimensions (In.)			Inside Dimensions (In.)		Other Specifications			Fork Tunnel Dimensions			
Model Number	Colours	Length	Width	Height	Length	Width	Weight (Lbs.)	Capacity (Lbs.)	Volume (Cu. Ft.)	Long Side L	Long Side H	Short Side L	Short Side H
CF57453200	Standard	56-1/2	45	33	49-1/2	38	222	1000	19.8	7-4/5	3-4/5	9-4/5	3-3/5
CF57454100	Standard	56-1/2	45	42	49-1/2	38	266	1500	29.5	7-4/5	3-4/5	9-4/5	3-3/5
CF57456500	Standard	56-1/2	45	64	49-1/2	38	331	2800	58.3	7-4/5	3-4/5	9-4/5	3-3/5
CF57457400	Standard	56-1/2	45	73	49-1/2	38	375	3000	68.0	7-4/5	3-4/5	9-4/5	3-3/5

Other customizations available with minimum order.

INTREPID CONTAINERS

SAFE, SECURE LIQUID AND DRY GOODS HANDLING

Standard Colours



Intrepid™ Bulk Containers – Leak-Resistant, Collapsible & Built for Distribution

Engineered to outperform corrugated combo bins, Intrepid™ bulk containers deliver long-lasting durability, ergonomic access, and cost-efficient collapsibility for demanding material handling applications.

FEATURES:

- 1 Leak-Proof with Liners:** Heavy-duty injection-molded design with a 2,500 lb capacity protects liquids, powders, and granulates.
- 2 Space-Saving:** Collapsible, non-sequential folding panels offer a 3.3:1 return ratio—up to 240 units in a 53' trailer.
- 3 Stackability:** Stable stacking with or without an optional lid; integrated base prevents shifting during transport.
- 4 Ergonomic:** Optional drop-door improves visibility and liner installation while reducing strain.
- 5 FDA-Approved:** Compliant construction ensures hygienic storage for food and sensitive goods.
- 6 Label-Ready:** Textured placard areas on all sides plus an optional access door support quick ID and tracking.

PRODUCT HIGHLIGHTS:

- Hygienic:** Smooth surfaces prevent contamination and eliminate debris common with corrugated options.
- Heavy-Duty:** Withstands harsh conditions across liquid, powder, and bulk ingredient applications.
- Efficiency:** Reusable design reduces packaging waste and freight costs.
- Ergonomic:** Provides safe handling for work-in-process, interplant shipments, and temporary storage.
- Versatile:** Available with top or bottom discharge to meet varied operational needs.
- Sustainable:** Easy to clean, repair, and recycle for long-term system value.



Intrepid Lids		Outside Dimensions (In.)			
Model Number	Colours	Length	Width	Height	Weight (Lbs.)
TZ48400200	Standard	48-1/10	40-1/10	2-3/10	14.5

Intrepid Containers			Outside Dimensions (In.)			Inside Dimensions (In.)			Other Specifications				Fork Tunnel Dimensions			
Model Number	Colours	Doors	Length	Width	Height	Length	Width	Height	Weight (Lbs.)	Capacity (Lbs.)	Volume (Gal.)	Return Ratio	Long Side L	Long Side H	Short Side L	Short Side H
BZ48404610	Standard	1 Door	48-1/10	40-1/10	45-9/10	45	37	40-3/10	128.5	2000	300	3.3:1	13-3/5	3-2/5	11-1/8	3-2/5

Other customizations available with minimum order.



CALIBER CONTAINERS

SAFE, SECURE LIQUID AND DRY GOODS HANDLING

Standard Colours



Caliber IBCs – Engineered for Performance, Hygiene & Efficiency

Designed for rugged industrial use, Caliber Intermediate Bulk Containers (IBCs) deliver durable, stackable solutions that meet strict sanitary and operational standards. Ideal for safe, secure liquid handling.

FEATURES:

- 1 **FDA-Compliant Construction:** Injection-molded HDPE with smooth surfaces for hygienic handling.
- 2 **Tamper-Evident Lid:** Eight locking points secure lid to prevent contamination.
- 3 **Stackable Strength:** Safely stacks up to 5 high; embedded steel rods reinforce side walls for added load support, each holding up to 3,000 lbs.
- 4 **Discharge Flexibility:** Offers top or bottom discharge.
- 5 **Smart Tracking:** Dual molded-in RFID tags for inventory control and process monitoring.
- 6 **Space-Saving Design:** Collapsible format with a 2.5:1 return ratio optimizes shipping efficiency.
- 7 **Forklift-Friendly:** Four-way entry for easy movement in any direction.

PRODUCT HIGHLIGHTS:

- **Hygienic:** FDA-grade surfaces maintain product purity in sensitive environments.
- **Heavy-Duty:** Built to withstand pressure filling, stacking, and repeated handling.
- **Secure:** Tamper-resistant lid and structural reinforcements protect contents in transit.
- **Space-Efficient:** Stackable and collapsible design saves warehouse and return freight space.
- **Customizable:** Label placards, RFID, and colour options tailor each unit to its application.



BZ484447V0



Caliber Containers			Outside Dimensions (In.)			Inside Dimensions (In.)			Other Specifications				Fork Tunnel Dimensions			
Model Number	Colours	Discharge	Length	Width	Height	Length	Width	Height	Weight (Lbs.)	Capacity (Lbs.)	Volume (Gal.)	Return Ratio	Long Side L	Long Side H	Short Side L	Short Side H
BZ484447V0	Standard	Bottom	48-3/5	44-7/10	48	44-9/10	40-9/10	40-9/10	225	3307	315	2.5:1	13-2/5	3-2/5	11-1/2	3-5/16

Other customizations available with minimum order.

FIXED WALL BULK CONTAINERS

SMOOTH INTERIOR, SAFEGUARD FRAGILE GOODS

Standard Colours



BF42292800



BF48442900

Fixed Wall Bulk Containers			Outside Dimensions (In.)			Inside Dimensions (In.)			Other Specifications					Fork Tunnel Dimensions (In.)			
Model Number	Colours	Doors	Length	Width	Height	Length	Width	Height	Weight (Lbs.)	Capacity (Lbs.)	Volume (Cu. Ft.)	Volume (Gal.)	Return Ratio	Long Side L	Long Side H	Short Side L	Short Side H
BF42292800	Standard	0 Doors	41-4/5	28-4/5	27-4/5	38-1/2	25-1/2	22-3/10	74	900	13.8	103.3	1:1	10-1/2	3-7/8	-	-
BF48442900	Standard	0 Doors	48	44	29-2/5	45-2/5	41-2/5	23-2/5	95	700	25.9	185.2	1:1	11-7/10	3-1/8	11-7/10	4-5/16

Other colours, sizes, and customizations available with minimum order.

Capacity is dependent upon application and use environment. It is based on equally distributed loads. Elevated temperatures or concentrated loads may affect capacity.




TC48400200



TH48400200




TL42290400




TS32300200




TC48450300




TH48450200




TL48440300



TS48450300



TV57480200



TV64480200



TV70480200

Bulk Container Lids			Outside Dimensions (In.)			Weight (Lbs.)
Model Number	Compatibility	Colours	Length	Width	Height	
TC48400200	BC4840 Series	Standard	48-1/2	40-1/2	1-2/5	11.7
TC48450300	BC4845 and BN4845 Series	Standard	48-9/10	45-9/10	2-3/5	14.1
TH48400200	BH4840 Series	Standard	48-2/5	40-2/5	2-1/10	18.6
TH48450200	BH4845 Series	Standard	48-2/5	45-2/5	2-3/10	20.7
TL42290400	BF4229 Series	Black, Grey	42-1/2	29-7/10	3-1/5	15.3
TL48440300	BF4844 Series	Black, Grey	48-9/10	44-4/5	2-4/5	20.9
TS32300200	BC3230 and BN3230 Series	Standard	32-4/5	30-4/5	2-3/10	10.3
TS48450300	BC4845 and BN4845 Series	Standard	49-4/5	46-4/5	3-4/5	25
TV57480200	BS5748 Series	Standard	57-1/2	48-1/5	2-1/10	18
TV64480200	BS6448 Series	Standard	64-4/5	48-1/5	2-1/10	21
TV70480200	BS7048 Series	Standard	70-7/10	48-1/5	2-1/10	22

Other colours and customizations available with minimum order.